

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
1																		
2	THE GLEN LAKE ASSOCIATION WATER LEVEL COMMITTEE'S MONTHLY REPORT - November, 2007																	
3																		
4	Daily Readings			Readings - Initial					Readings - After Adjustment									
5	Lake Height			Dam Height		Upstream	River Height		River Flow		Adjusted Dam Height		Upstream	River Height		River Flow		
6		Time	Feet	Precip.	(inches)		Water	Measurement		(inches)		Water	Measurement		River Flow			
7	Day		(596.xx)	(inches)	North	South	Gage	Time	Feet	CFS	North	South	Gage	Time	Feet	CFS		
8	1	Not	Taken		10.500	10.500	0.79	12:42	10.6 5	20.36	9.375	9.375	0.76	13:35	10.7 2	23.26		
9	2	12:00	0.30		9.375	9.375												
10	3	Not	Taken		9.375	9.375												
11	4	15:00	0.29	0.10	9.375	9.375												
12	5	10:00	0.30		9.375	9.375	0.77	10:00	10.7 3	23.70								
13	6	Not	Taken	0.14	9.375	9.375												
14	7	9:30	0.28		9.375	9.375	0.75	10:00	10.7 2	23.26								
15	8	16:30	0.28	0.11	9.375	9.375	0.75	12:10	10.7 4	24.14								
16	9	Not	Taken	0.10	9.375	9.375												
17	10	9:00	0.29		9.375	9.375												
18	11	Not	Taken		9.375	9.375												
19	12	10:00	0.29		9.375	9.375	0.76	10:15	10.7 4	24.14								
20	13	12:30	0.30		9.375	9.375												
21	14	9:30	0.30		9.375	9.375												
22	15	Not	Taken		9.375	9.375	0.74	14:30	10.7 2	23.26								
23	16	8:30	0.28		9.375	9.375												
24	17	9:00	0.28		9.375	9.375												
25	18	Not	Taken		9.375	9.375												
26	19	15:00	0.30	0.14	9.375	9.375	0.76	8:35	10.7 3	23.70								
27	20	Not	Taken		9.375	9.375												
28	21	Not	Taken		9.375	9.375												
29	22	Not	Taken	0.20	9.375	9.375												
30	23	Not	Taken		9.375	9.375	0.80	11:40	10.8 0	26.90								
31	24	Not	Taken	0.14	9.375	9.375	0.83	14:10	10.8 3	28.37	10.500	10.500	0.87	14:25	10.7 5	24.58		
32	25	15:00	0.34		10.500	10.500												
33	26	10:00	0.34		10.500	10.500												
34	27	Not	Taken		10.500	10.500	0.83	13:05	10.6 9	21.99	9.750	9.750	0.80	13:36	10.7 3	23.70		
35	28	16:00	0.33		9.750	9.750												
36	29	Not	Taken		9.750	9.750												
37	30	Not	Taken		9.750	9.750	0.81	9:30	10.7 6	25.04								
38																		
39																		
40																		
41																		
42	Beginning 10/8/07 we will begin our once per week 'official' readings.																	
43																		

= (Gauge reading - .08') per Steve Blumer on 10/17/07

= utilizing the water sharing deviation agreed to at the Technical Committee meeting on 9/24/07.