

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
1																			
2	THE GLEN LAKE ASSOCIATION WATER LEVEL COMMITTEE'S MONTHLY REPORT - September, 2007																		
3																			
4	Daily Readings			Readings - Initial					Readings - After Adjustment										
5	Lake Height			Precip. (inches)	Dam Height (inches)		Upstream Water Gage	River Height Measurement		River Flow CFS	Adjusted Dam Height (inches)		Upstream Water Gage	River Height Measurement		River Flow CFS			
6	Day	Time	Feet (596.xx)		North	South		Time	Feet		North	South		Time	Feet				
8	1	8:30	0.37		9.500	9.500													
9	2	9:00	0.36		9.500	9.500													
10	3	8:00	0.35		9.500	9.500	0.77	9:00	10.7 3	23.70	9.000	9.000	0.75	16:00	10.7 6		25.04		
11	4	8:00	0.35		9.000	9.000													
12	5	8:00	0.34		9.000	9.000	0.75	9:00	10.7 6	25.04									
13	6	7:30	0.32		9.000	9.000													
14	7	7:20	0.32	0.18	9.000	9.000	0.77	10:45	10.7 8	25.69									
15	8	10:00	0.34		9.000	9.000													
16	9	10:00	0.33		9.000	9.000													
17	10	10:00	0.31		9.000	9.000	0.73	8:25	10.7 4	24.14									
18	11	7:30	0.30	0.12	9.000	9.000													
19	12	10:00	0.30	0.02	9.000	9.000	0.72	10:30	10.7 3	23.70	8.750	8.750	0.70	16:10	10.7 4		24.14		
20	13	9:30	0.29		8.750	8.750													
21	14	14:30	0.29	0.17	8.750	8.750	0.70	8:30	10.7 4	24.14									
22	15	9:30	0.27		8.750	8.750													
23	16	8:30	0.25		8.750	8.750													
24	17	10:00	0.24		8.750	8.750	0.67	9:00	10.7 0	22.41	8.500	8.500	0.66	13:30	10.7 2		23.26		
25	18	9:00	0.21		8.500	8.500													
26	19	Not Taken				8.500	8.500	0.65	15:50	10.7 1	22.83	8.250	5.250	0.64	15:40	10.7 2		23.26	
27	20	9:30	0.21		8.250	8.250													
28	21	14:30	0.21	0.18	8.250	8.250	0.65	15:10	10.7 3	23.70									
29	22	8:00	0.23		8.250	8.250													
30	23	8:30	0.23		8.250	8.250													
31	24	8:40	0.23		8.250	8.250	0.61	15:00	10.7 2	23.26									
32	25	9:00	0.25	0.48	8.250	8.250													
33	26	8:00	0.28	0.02	8.250	8.250	0.69	8:50	10.7 7	25.50	8.750	8.750	0.71	11:45	10.7 4		24.14		
34	27	9:30	0.27		8.750	8.750													
35	28	8:00	0.27		8.750	8.750	0.70	8:30	10.7 3	23.70									
36	29	11:30	0.25		8.750	8.750													
37	30	9:30	0.25		8.750	8.750													
38		Avg.	0.28	Total			0.70		10.7 4	23.98									
39				1.17															
40																			
41																			

= (Gauge reading - .05') per Steve Blumer on 8/31/07

= utilizing the water sharing deviation agreed to at the Technical Committee meeting on 9/24/07.