

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
1																				
2	THE GLEN LAKE ASSOCIATION WATER LEVEL COMMITTEE'S MONTHLY REPORT - September, 2009																			
3																				
4	Daily Readings			Wind Estimates			Readings - Initial						Readings - After Adjustment							
5	Lake Height			Precip. (inches)	Direction	Speed	Dam Height (inches)		Upstream Water Gage	River Height Measurement		River Flow CFS	Dam Height (inches)		Upstream Water Gage	River Height Measurement		River Flow CFS		
6	Day	Time	Feet (596.xx)				North	South		Time	Feet		North	South		Time	Feet			
7																				
8	1	10:00	0.92		SW	Light	10.000	10.000												
9	2	10:40	0.91		-	Calm	10.000	10.000												
10	3	9:00	0.88		-	Calm	10.000	10.000	1.24	10:00	11.2 1	51.89	13.000	13.000	1.35	10:20	11.0 2	38.91		
11	4	7:50	0.87		-	Calm	13.000	13.000												
12	5	9:30	0.87		-	Calm	13.000	13.000	1.35	10:02	11.0 0	37.69	13.500	13.500	1.36	10:29	10.9 6	35.33		
13	6	7:50	0.87		-	Calm	13.500	13.500												
14	7	8:00	0.87		-	Calm	13.500	13.500	?	11:05	10.9 5	34.76	11.500	11.500	1.30	11:20	11.0 7	42.08		
15	8	11:00	0.86		-	Calm	11.500	11.500												
16	9	11:00	0.86		-	Calm	11.500	11.500												
17	10	10:30	0.86		-	Calm	11.500	11.500												
18	11	14:50	0.85		-	Calm	11.500	11.500												
19	12	8:40	0.82		-	Calm	11.500	11.500												
20	13	9:00	0.82		-	Calm	11.500	11.500												
21	14	11:30	0.80		NW	Light	11.500	11.500	1.25	11:00	11.0 5	40.79								
22	15	8:00	0.80		-	Calm	11.500	11.500												
23	16	8:30	0.78		-	Calm	11.500	11.500	1.20	11:05	11.0 5	40.79	12.000	12.000	1.23	12:10	10.9 7	35.91		
24	17	7:30	0.77		Not	Rptd.	12.000	12.000	1.23	10:15	10.9 6	35.33								
25	18	15:00	0.76		NW	Mod.	12.000	12.000												
26	19	8:00	0.75		-	Calm	12.000	12.000												
27	20	8:00	0.74		-	Calm	12.000	12.000												
28	21	11:50	0.75	0.25	-	Calm	12.000	12.000	1.20	12:00	10.9 6	35.33								
29	22	9:00	0.75	0.16	-	Calm	12.000	12.000												
30	23	8:50	0.77		-	Calm	12.000	12.000	1.23	11:30	10.9 6	35.33								
31	24	8:30	0.76		-	Calm	12.000	12.000												
32	25	10:30	0.76		-	Calm	12.000	12.000	1.20	11:30	10.9 4	34.19								
33	26	9:20	0.75	0.06	-	Calm	12.000	12.000												
34	27	10:00	0.74	0.15	-	Calm	12.000	12.000												
35	28	Not	Taken	0.31			12.000	12.000												
36	29	8:10	0.78		NW	Strong	12.000	12.000	1.25	15:00	10.9 7	35.91								
37	30	9:00	0.77		-	Calm	12.000	12.000												
38	AVGs.		0.81						1.24			38.20								
39																				
40																				

= Fire Truck drawing off water into two hoses during reading.